

Gazi Üniversitesi Eczacılık Fakültesi 2012 yayınları (SCI ve SCI-Exp.)

Yazarlar	Makale adı	Yayınlandığı dergi	
Ilbasmis-Tamer S, Degim IT.	A feasible way to use carbon nanotubes to deliver drug molecules: transdermal application.	Expert Opin Drug Deliv. 2012 Aug;9(8):991-9	doi: 10.1517/17425247.2012.696607
Celebi N, Yetkin G, Ozer C, Can A, Gökçora N.	Evaluation of microemulsion and liposomes as carriers for oral delivery of transforming growth factor alpha in rats.	J Microencapsul. 2012;29(6):539-48	doi: 10.3109/02652048.2012.665091
Tan C, Degim İT.	Development of sustained release formulation of an antithrombotic drug and application of Fuzzy logic.	Pharm Dev Technol. 2012 Mar-Apr;17(2):242-50	doi: 10.3109/10837450.2010.531739
Takka S, Cali AG.	Bile salt-reinforced alginate-chitosan beads.	Pharm Dev Technol. 2012 Jan-Feb;17(1):23-9	doi: 10.3109/10837450.2010.502898
Tirnaklı F, Kayış A, Çelebi N, Adışen E, Erel A.	Preparation and evaluation of topical microemulsion system containing metronidazole for remission in rosacea.	Chem Pharm Bull (Tokyo). 2012;60(5):583-92	
Koçdan D, Basan H.	A novel spectrofluorimetric method for the determination of calcitonin in ampules through derivatization with fluorescamine.	Luminescence. 2012 Dec 13.	doi: 10.1002/bio.2467
Temur E, Zengin A, Boyacı İH, Dudak FC, Torul H, Tamer U.	Attomole sensitivity of staphylococcal enterotoxin B detection using an aptamer-modified surface-enhanced Raman scattering probe.	Anal Chem. 2012 Dec 18;84(24):10600-6.	doi: 10.1021/ac301924f
Pekdemir ME, Ertürkan D, Kūlah H, Boyacı İH, Ozgen C, Tamer U.	Ultrasensitive and selective homogeneous sandwich immunoassay detection by Surface Enhanced Raman Scattering (SERS).	Analyst. 2012 Oct 21;137(20):4834-40	doi: 10.1039/c2an35471c

Alshana U, Göğər NG, Ertas N.	Ultrasound-assisted emulsification microextraction for the determination of ephedrine in human urine by capillary electrophoresis with direct injection. Comparison with dispersive liquid-liquid microextraction.	J Sep Sci. 2012 Aug;35(16):2114-21	doi: 10.1002/jssc.201200308
-------------------------------	--	------------------------------------	-----------------------------

Cok I, Mazmanci B, Mazmanci MA, Turgut C, Henkelmann B, Schramm KW.	Analysis of human milk to assess exposure to PAHs, PCBs and organochlorine pesticides in the vicinity Mediterranean city Mersin, Turkey.	Environ Int. 2012 Apr;40:63-9	doi: 10.1016/j.envint.2011.11.012
Karahalil B, Ulukaya M, Alp O.	Pilot study of environmental monitoring of Konya region near abandoned mercury mine in Turkey.	Bull Environ Contam Toxicol. 2012 Feb;88(2):150-3	doi: 10.1007/s00128-011-0435-4
Karahalil B, Bohr VA, Wilson DM	Impact of DNA polymorphisms in key DNA base excision repair proteins on cancer risk.	Hum Exp Toxicol. 2012 Oct;31(10):981-1005	doi: 10.1177/0960327112444476
Kadioglu E, Kocabas NA, Demircigil GC, Coskun E, Ozcagli E, Durmaz E, Karahalil B, Burgaz S, Sardas S.	Assessment of individual susceptibility to baseline DNA and cytogenetic damage in a healthy Turkish population: evaluation with lifestyle factors.	Genet Test Mol Biomarkers. 2012 Oct;16(10):1157-64	doi: 10.1089/gtmb.2012.0038
Gönül N, Kadioglu E, Kocabaş NA, Ozkaya M, Karakaya AE, Karahalil B.	The role of GSTM1, GSTT1, GSTP1, and OGG1 polymorphisms in type 2 diabetes mellitus risk: a case-control study in a Turkish population.	Gene. 2012 Aug 15;505(1):121-7	doi: 10.1016/j.gene.2012.05.025
Kesimci E, Engin AB, Kanbak O, Karahalil B.	Association between ABCB1 gene polymorphisms and fentanyl's adverse effects in Turkish patients undergoing spinal anesthesia.	Gene. 2012 Feb 10;493(2):273-7	doi: 10.1016/j.gene.2011.11.040
Engin AB, Dogruman-Al F, Ercin U, Celebi B, Babur C, Bukan N.	Oxidative stress and tryptophan degradation pattern of acute Toxoplasma gondii infection in mice.	Parasitol Res. 2012 Oct;111(4):1725-30	

Gönenç A, Hacışevki A, Taviş Y, Cengel A, Torun M.	Oxidative stress in patients with essential hypertension: A comparison of dippers and non-dippers.	Eur J Intern Med. 2012 Sep 13	doi:pil: S0953-6205(12)00236-1
Gönenç A, Hacışevki A, Aslan S, Torun M, Şimşek B.	Increased oxidative DNA damage and impaired antioxidant defense system in patients with gastrointestinal cancer.	Eur J Intern Med. 2012 Jun;23(4):350-4	doi: 10.1016/j.ejim.2012.02.001
Ozkan Y, Yardım-Akaydin S, Erdem A, Şimşek B.	Variability of total thiol compounds, oxidative and nitrosative stress in uncomplicated pregnant women and nonpregnant women.	Arch Gynecol Obstet. 2012 May;285(5):1319-24	doi: 10.1007/s00404-011-2150-0
Ozkan Y, Mete G, Sepici-Dincel A, Sepici V, Simsek B.	Tryptophan degradation and neopterin levels in treated rheumatoid arthritis patients.	Clin Rheumatol. 2012 Jan;31(1):29-34	doi: 10.1007/s10067-011-1767-5

Akar F, Uludağ O, Aydın A, Aytekin YA, Elbeg S, Tuzcu M, Şahin K.	High-fructose corn syrup causes vascular dysfunction associated with metabolic disturbance in rats: protective effect of resveratrol.	Food Chem Toxicol. 2012 Jun;50(6):2135-41	doi: 10.1016/j.fct.2012.03.061
---	---	---	--------------------------------

Süntar I, Küpeli vAkkol E, Keles H, Yesilada E, Sarker SD, Baykal T.	Comparative evaluation of traditional prescriptions from Cichorium intybus L. for wound healing: stepwise isolation of an active component by in vivo bioassay and its mode of activity.	J Ethnopharmacol. 2012 Aug 30;143(1):299-309	doi: 10.1016/j.jep.2012.06.036
Akkol EK, Das S, Sarker SD, Nahar L.	The treatment of inflammation, pain, and Fever using medicinal plants.	Adv Pharmacol Sci. 2012;2012:476985	doi: 10.1155/2012/476985
Orhan IE.	Centella asiatica (L.) Urban: From Traditional Medicine to Modern Medicine with Neuroprotective Potential.	Evid Based Complement Alternat Med. 2012;2012:946259	doi: 10.1155/2012/946259
Süntar I, Küpeli Akkol E, Keles H, Yesilada E, Sarker SD, Arroo R, Baykal T.	Efficacy of Daphne oleoides subsp. kurdica used for wound healing: identification of active compounds through bioassay guided isolation technique.	J Ethnopharmacol. 2012 Jun 14;141(3):1058-70	doi: 10.1016/j.jep.2012.04.001

Senol FS, Tuzun CY, Toker G, Orhan IE.	An in vitro perspective to cholinesterase inhibitory and antioxidant activity of five <i>Gentiana</i> species and <i>Gentianella caucasea</i> .	Int J Food Sci Nutr. 2012 Nov;63(7):802-12	doi:10.3109/09637486.2012.676031
Orhan IE.	Current concepts on selected plant secondary metabolites with promising inhibitory effects against enzymes linked to Alzheimer's disease	Curr Med Chem.2012;19(14):2252-61	
Süntar I, Acikara OB, Citoglu GS, Keles H, Ergene B, Akkol EK.	In vivo and in vitro evaluation of the therapeutic potential of some Turkish <i>Scorzonera</i> species as wound healing agent.	Curr Pharm Des. 2012;18(10):1421-33	
Orhan N, Deliorman Orhan D, Aslan M, Süküroğlu M, Orhan IE.	UPLC-TOF-MS analysis of <i>Galium spurium</i> towards its neuroprotective and anticonvulsant activities.	J Ethnopharmacol. 2012 May 7;141(1):220-7	doi: 10.1016/j.jep.2012.01.056
Orhan N, Aslan M, Demirci B, Ergun F.	A bioactivity guided study on the antidiabetic activity of <i>Juniperus oxycedrus</i> subsp. <i>oxycedrus</i> L. leaves.	J Ethnopharmacol. 2012 Mar 27;140(2):409-15	doi: 10.1016/j.jep.2012.01.042
Küpeli Akkol E, Bahadır Acikara O, Süntar I, Ergene B, Saltan Çitoğlu G.	Ethnopharmacological evaluation of some <i>Scorzonera</i> species: in vivo anti-inflammatory and antinociceptive effects.	J Ethnopharmacol. 2012 Mar 27;140(2):261-70	doi: 10.1016/j.jep.2012.01.015
Akkol EK, Kırmızıbekmez H, Küçükboyacı N, Gören AC, Yesilada E.	Isolation of active constituents from cherry laurel (<i>Laurocerasus officinalis</i> Roem.) leaves through bioassay-guided procedures.	J Ethnopharmacol. 2012 Jan 31;139(2):527-32	doi: 10.1016/j.jep.2011.11.043
Süntar I, Tumen I, Ustün O, Keleş H, Akkol EK.	Appraisal on the wound healing and anti-inflammatory activities of the essential oils obtained from the cones and needles of <i>Pinus</i> species by in vivo and in vitro experimental models.	J Ethnopharmacol. 2012 Jan 31;139(2):533-40	doi: 10.1016/j.jep.2011.11.045
Orhan IE, Guner E, Ozcelik B, Senol FS, Caglar SS, Emecen G, Kocak O, Sener B.	Assessment of antimicrobial, insecticidal and genotoxic effects of <i>Melia azedarach</i> L. (chinaberry) naturalized in Anatolia.	Int J Food Sci Nutr. 2012 Aug;63(5):560-5	doi:10.3109/09637486.2011.642855
Senol FS, Kan A, Coksari G, Orhan IE.	Antioxidant and anticholinesterase effects of frequently consumed cereal grains using in vitro test models.	Int J Food Sci Nutr. 2012 Aug;63(5):553-9	doi:10.3109/09637486.2011.641943
Akkol EK, Süntar I, Erdoğan TF, Keleş H,	Wound healing and anti-inflammatory properties of <i>Ranunculus pedatus</i> and	J Ethnopharmacol. 2012 Jan 31;139(2):478-84	doi: 10.1016/j.jep.2011.11.037

Gonenç TM, Kivçak B.	Ranunculus constantinopolitanus: a comparative study.		
Orhan N, Aslan M, Pekcan M, Orhan DD, Bedir E, Ergun F.	Identification of hypoglycaemic compounds from berries of Juniperus oxycedrus subsp. oxycedrus through bioactivity guided isolation technique.	J Ethnopharmacol. 2012 Jan 6;139(1):110-8	doi: 10.1016/j.jep.2011.10.027
Orhan IE, Şener B, Musharraf SG.	Antioxidant and hepatoprotective activity appraisal of four selected Fumaria species and their total phenol and flavonoid quantities.	Exp Toxicol Pathol. 2012 Mar;64(3):205-9	doi: 10.1016/j.etp.2010.08.007
Orhan IE, Loizzo MR, Khan MT.	Therapeutic approaches to neuroprotective activity by complementary and alternative medicines.	Evid Based Complement Alternat Med. 2012;2012:376068	doi: 10.1155/2012/376068
Erdoğan Orhan I, Şenol FS, Gülpınar AR, Şekeroğlu N, Kartal M, Şener B.	Neuroprotective potential of some terebinth coffee brands and the unprocessed fruits of pistachio terebinthusL. And their fatty and essential oil analyses.	Food Chemistry 130, 882-888 (2012)	
Şekeroğlu N, Şenol FS, Erdoğan Orhan İ, Gülpınar AR, Kartal M, Şener B.	In vitro propective effects of various traditional herbal coffees consumed in Anatolia linked to neurodegeneration.	Food Research International, 45, 197-203 (2012)	
Erdfoğan Orhan I, Güner E, Öztürk N, Şenol FS, Aslan Erdem S, Kartal M, Şener B.	Enzyme inhibitory and antioxidants activity of Melia azedarach L. naturalized in Anatolia and its phenolic acid and fatty acid coposition	Industrialş Crops and Products, 37, 213-218 (2012)	
Kan A, Orhan I, Cokşar G, Öztürk N, Akaydın G, Şerner B.	In vitro neuroprotective properties of the Maydis stigma extracts from four corn varieties	International Journal of Food Sciences and Nutrition, 63(1), 1-4 (2012)	
Erdoğan Orhan I, Şenol FS, Öztürk N, Akaydın G, Şener B.	Profiling of in vitro neurobiological effects and phenolic acids of selected endemic Salvia species.	Food Chemistry 132, 1360-1367 (2012)	
Erdoğan Orhan I, Aslan Erdem S, Şenol FS, Kartal M, Şener B.	Exploration of cholinesterase and tyrosinase inhibitory, antiprotozoal and antioxidant effects of Buxus sempervirens L.(Boxwood).	Industrial Croops and Products, 40, 116-121 (2012)	

Çalışkan B, Banoglu E.	Overview of recent drug discovery approaches for new generation leukotriene A(4) hydrolase inhibitors.	Expert Opin Drug Discov. 2013 Jan;8(1):49-63	doi:10.1517/17460441.2013.735228
Onkol T, Dündar Y, Yıldırım E, Erol K, Sahin MF.	Microwave-Assisted Synthesis of 1,3-Benzothiazol-2(3H)-one Derivatives and Analysis of Their Antinociceptive Activity.	Arzneimittelforschung. 2012 Dec;62(12):571-5	doi: 10.1055/s-0032-1327613
Sukuroglu M, Onkol T, Onurdağ FK, Akalin G, Sahin MF.	Synthesis and in vitro biological activity of new 4,6-disubstituted 3(2H)-pyridazinone-acetohydrazide derivatives.	Z Naturforsch C. 2012 May-Jun;67(5-6):257-65	
Miandji AM, Ulusoy S, Dündar Y, Ozgen S, Onurdağ FK, Boşgelmez-Tınaz G, Noyanalpan N.	Synthesis and Biological Activities of Some 1,3-Benzoxazol-2(3H)-One Derivatives as Anti-Quorum Sensing Agents.	Arzneimittelforschung. 2012 Jul;62(7)	doi: 10.1055/s-0032-1315825
Banoglu E, Çalışkan B, Luderer S, Eren G, Özkan Y, Altenhofen W, Weinigel C, Barz D, Gerstmeier J, Pergola C, Werz O.	Identification of novel benzimidazole derivatives as inhibitors of leukotriene biosynthesis by virtual screening targeting 5-lipoxygenase-activating protein (FLAP).	Bioorg Med Chem. 2012 Jun 15;20(12):3728-41	doi: 10.1016/j.bmc.2012.04.048
Dündar Y, Özatik Y, Özatik O, Ergin V, Önkol T, Menevşe A, Erol K, Sahin MF.	Synthesis and biological evaluation of the salicylamide and salicylic acid derivatives as anti-estrogen agents.	Med Chem. 2012 May;8(3):481-90	
Baytaş, S., Dural, N.N.T., Özkan, Y., Şimşek, H.B., Gürsel, T., Ünlü, S.	Synthesis, anti-inflammatory, antiplatelet and in silico evaluations of (E)-3-(3-(2,3-dihydro-3-methyl-2-oxo-3H-benzoxazole-6-yl)-1-phenyl-1H-pyrazole-4-yl)acrylamides	Turk. J. Chem., 36, 367-382 (2012)	
Baytaş, S., İnceler, N., Mavaneh, K.F., Uludağ, M.O., Abacioğlu, N., Gökçe, M.	Synthesis of antipyrine/pyridazinone hybrids and investigation of their in vivo analgesic and anti-inflammatory activities	Turk. J. Chem., 36, 734-748 (2012)	
Baytaş, S., Kapçak, E., Çoban, T., Özbilge, H.	Synthesis, antioxidant and antimicrobial evaluation of novel 4-substituted-1H-1,2,4-triazole derivatives	Turk. J. Chem., 36, 867-884 (2012)	
İnceler, N., Yılmaz, A., Baytas, S.N.	Synthesis of ester and amide derivatives of 1-phenyl-3-(thiophen-3-yl)-1H-pyrazole-4-carboxylic acid and study of their anticancer activity	Med. Chem. Res., (2012)	doi:10.1007/s00044-012-0317-2

Baytas, S.N., Inceler, N., Yilmaz, A.	Synthesis, cytotoxicity and molecular properties prediction of novel 1,3-diarylpyrazole derivatives	Med. Chem. Res., (2012)	doi:10.1007/s00044-013-0505-8
Gulkok, Y., Bicer, T., Onurdag, F. K., Ozgen, S., Sahin, M. F., Dogruer, D. S.	Synthesis of some new urea and thiourea derivatives and evaluation of their antimicrobial activities	Turk. J. Chem. 36(2), 279-291, (2012)	
Tiryaki, D., Sukuroglu, M., Dogruer, D. S., Akkol, E., Ozgen, S., Sahin, M. F.	Synthesis of some new 2,6-disubstituted-3(2H)-pyridazinone derivatives and investigation of their analgesic, anti-inflammatory and antimicrobial activities	Med. Chem. Res. (2012)	doi: 10.1007/s00044-012-0253-1

Ozçelik AB, Utku S, Gümüş F, Keskin AÇ, Açıık L, Yılmaz S, Ozgüngör A.	Cytotoxicity and DNA interactions of some platinum(II) complexes with substituted benzimidazole ligands.	J Enzyme Inhib Med Chem. 2012 Jun;27(3):413-8	doi:10.3109/14756366.2011.594046
--	--	---	----------------------------------